

# EVERUN ER 416 Ny model, 2021



**Kr.: 199.900 ex. mva**

## **Standard utstyr:**

- Standard skuffe
- Elektrisk joystick med gir, høy og lavserie
- Konstant firehjulsdrift og reduksjons nav
- Quick shift av redskap
- Hydraulisk converter
- Euro III standard motor, 50 hk
- Flyt funksjon,
- Ekstra hydraulikk, totalt fire funksjoner
- Led kjøre/arbeidslys forover og bakover
- Luksus hytte, tiltbar med ryggekamera og varmeapparat
- Justerbart ratt og sete med setebelte
- Hydrauliske skivebremse alle hjul og park brems
- Traktordekk 23,5/70-16
- Lås for løft og styresylinder
- Hydraulisk trykk sjekk system
- Varta batteri type vinter
- Hovedstrøms bryter
- Motorvarmer

## **Tilbehørsliste:**

- |  |               |
|--|---------------|
| - Mekaniske pallegafler                | Kr.: 5.900,-  |
| - Hydrauliske pallegafler              | Kr.: 11.900,- |
| - Snøskjær, hydraulisk, rett           | Kr.: 11.900,- |
| - Hydraulisk snøskjær med V-blad       | Kr.: 17.900,- |
| - Snøskuffe                            | Kr.: 9.900,-  |
| - Snøskuffe med hydrauliske vinger, 3m | Kr.: 19.900,- |
| - 4 i 1 skuffe                         | Kr.: 12.900,- |
| - Blandeskuffe (Mixer bucket)          | Kr.: 12.900,- |
| - Sandskuffe                           | Kr.: 7.900,-  |
| - Gripeskuffe                          | Kr.: 11.900,- |
| - Dekk type vinter 315/80 R22,5        | Kr.: 15.000,- |
| - Dekk type gress                      | Kr.: 10.900,- |
| - Kjettinger pr par                    | Kr.: 4.900,-  |
| - Sandspreder front                    | Kr.: 16.900,- |
| - Sandspreder bak m/hydraulikk         | Kr.: 22.900,- |
| - Tømmerklo 360 grader                 | Kr.: 21.900,- |
| - Feiemaskin                           | Kr.: 22.900,- |
| - Feiemaskin med oppsamler             | Kr.: 24.900,- |
| - Feiemaskin med vanntank              | Kr.: 26.900,- |
| - Jordbor 200mm                        | Kr.: 15.900,- |
| - Jordbor 300mm                        | Kr.: 17.900,- |
| - Rundballeløfter                      | Kr.: 10.900,- |
| - Oljefatløter                         | Kr.: 10.900,- |

# Spesifikasjoner

## 1.0 Engine Details

(1) Model:	Xinchai 498 BT1(EuroIII Standard)
(2) Engine Type:	In-line Arrangement, Water-cooled, Four-cycle Diesel Engine
(3) Rated Power:	36.8 KW
(4) Rated Speed:	2650 r/min(rpm)
(5) Fuel Consumption Ration in Standard Working Condition	230g/kw.H

## 2.0 Transmission System

(1) Type:	Fixed-spindle Power Shift
(2) Shift Gear Control Oil Pressure	1.0-1.8MPa
(3) Rated Input Speed	2500(rpm)

## 3.0 Bucket

(1) Bucket Capacity:	0.64 m <sup>3</sup>
(2) Bucket Width:	1800mm
(3) Bucket Type:	Heavy-duty Bolt on Teeth
(4) Rated Load:	1600kg
(5) Operating Weight	3800kg

## 4.0 Overall Dimensions

(1) Overall Length(bucket on ground);	5240mm
(2) Overall Height ;	
(3) Ground to Cab Top:	2600mm
(4) Dumping Height:	2370mm
(5) Min. Base to the Ground	275mm
(6) Overall Width	1800mm

## 5.0 Operating Specifications

(1) Steering System:	Articulated Frame with Hydraulic Power Steering
(2) Min. Turning Radius:	5200mm
(3) Driving System:	Hydraulic Converter

## 6.0 Brake System

(1) Service Brake	Four wheel Hydraulic Spread-shoed Brake
(2) Parking Brake	Hand Operated

